

Taking VYZULTA as prescribed is important for your glaucoma treatment

VYZULTA.
(latanoprostene bunod ophthalmic solution), 0.024%



WHAT is glaucoma?

Glaucoma is a **persistent eye disease** in which high eye pressure can lead to permanent vision loss if not treated



HOW can VYZULTA help?

VYZULTA can **help lower your eye pressure** by increasing drainage through two different pathways in the eye



WHY is lowering eye pressure important?

Lowering eye pressure is an important step in **treating glaucoma and helping to preserve eyesight**

Tips to help you remember to take VYZULTA every day



PLAN

Keep drops in the same spot, out of reach of children, and take them at the same time every night



REMIND

Use physical notes at home or set reminders with your mobile or smart home devices



REPEAT

Make taking VYZULTA part of other routine evening activities like brushing your teeth or washing your face

REMEMBER: Follow up with your doctor and obtain refills when necessary.

INDICATION

VYZULTA® (latanoprostene bunod ophthalmic solution), 0.024%, is used to lower intraocular (eye) pressure in patients with open-angle glaucoma or ocular hypertension.

IMPORTANT SAFETY INFORMATION

- Brown color, or increased brown color, of the iris can occur, which may be permanent. Darkening of the eyelid skin may also occur, which is usually reversible after VYZULTA treatment is discontinued.
- Gradual changes to eyelashes may occur, including increased length, thickness, color, number of eyelashes and/or direction of eyelash growth. These changes may result in a difference in appearance of each eye. These changes are usually reversible after VYZULTA treatment is discontinued.

Please see additional Important Safety Information on the reverse side and accompanying Prescribing Information in pocket.

VYZULTA SAVINGS OFFER

YOU COULD PAY AS LITTLE AS
\$25 FOR A 30-, 60-, OR
90-DAY SUPPLY*
COPAY



Steps to activating and using your COPAY card:

1. Activate your card via the QR code or text **DROPS** to **58129** and sign up for our alerts program†
2. Instruct the pharmacist to run the COPAY card with your prescription
3. Confirm this step was completed when you pick up your prescription at the pharmacy

REMEMBER, even if VYZULTA is not covered by your insurance, you will pay \$70 for a 2.5-mL bottle or \$100 for a 5-mL bottle, utilizing this coupon

†Message and data rates may apply. Message frequency varies. Text HELP for help. Text STOP to opt out. For Privacy Policy, go to bausch.com/privacy/. The full terms can be viewed at vyzulta.com/vyzulta-coupon.



SCAN QR CODE
TO ACTIVATE
COPAY CARD

*For eligible commercially insured patients. Discounted pricing is available for eligible uninsured patients. Terms, conditions, and limitations apply. Available exclusively at Walgreens and other participating independent pharmacies. At nonparticipating pharmacies, eligible patients may pay as little as a \$35 copay. Please see eligibility criteria and terms and conditions at BauschAccessProgram.com. 90-day supply to be prescribed as three bottles of 2.5 mL solution each. 90-day supply copay offer only applies if each of the three 2.5-mL bottles is covered by the patient's commercial insurance. Void where prohibited.

IMPORTANT SAFETY INFORMATION (cont'd)

- Avoid touching the tip of the container to the eye or any other surface, including a finger, in order to avoid contamination of the solution by bacteria. Serious damage to the eye and possible loss of vision may result from using contaminated solutions.
- Tell your doctor immediately about any change in your eye, any eye condition that develops, any sudden change in your vision, any eye side effects, or if you have eye surgery.
- Remove contact lenses before putting VYZULTA in your eyes. Lenses may be reinserted 15 minutes later.
- If you are using other eye drops in addition to VYZULTA, wait 5 minutes between using each type of eye drop.
- The most common side effects seen in studies were eye redness, eye irritation, eye pain, and pain after putting the drops in your eye.

You are encouraged to report side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see additional Important Safety Information on the reverse side and accompanying Prescribing Information in pocket.

BAUSCH + LOMB

©2023 Bausch + Lomb
VYZ.0083.USA.23